

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of)
Jarmo Johani SAVOLAINEN) Group Art Unit: Unassigned
Application No.: Unassigned) Examiner: Unassigned
Filed: March 14, 2001)
For: Cost Control in a Telecommunications)
System)

11000 U.S. PRO
09/808500
03/14/01

CLAIM FOR CONVENTION PRIORITY

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

The benefit of the filing date of the following prior foreign application in the following foreign country is hereby requested, and the right of priority provided in 35 U.S.C. § 119 is hereby claimed:

Great Britian Patent Application No. 0006023.6


Filed: March 14, 2000

In support of this claim, enclosed is a certified copy of the prior foreign application. The prior foreign application was referred to in the oath or declaration. Acknowledgment of receipt of the certified copy is requested.

Respectfully submitted,


BURNS, DOANE, SWECKER & MATHIS, L.L.P.

Date: March 14, 2001

By: 

Theodosios Thomas
Registration No. 45,159

P.O. Box 1404
Alexandria, Virginia 22313-1404
(919) 941-9240

"Express Mail" mailing label No. 858139139145
Date of Deposit 3/14/01
I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.
J. Smead
(Type or printed name of person mailing paper or fee)

(Signature of person mailing paper or fee)



U.S.A.



INVESTOR IN PEOPLE

**CERTIFIED COPY OF
PRIORITY DOCUMENT**

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ



I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 5 February 2001



14 MAR 2000

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

1. Your reference

RL.P51061GB

14 MAR 00 E520397-1 001063

2. Patent application number

0006023.6

7700 0.00-0006023.6

(The Patent Office will fill in this part)

3. Full name, address and postcode of the or of each applicant (underline all surnames)

Telefonaktiebolaget LM Ericsson
SE-12625
Stockholm
Sweden

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

SWEDEN

763748 001

4. Title of the invention

Cost Control in a Telecommunications System

5. Name of your agent (if you have one)

Marks & Clerk

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

Marks & Clerk
4220 Nash Court
Oxford Business Park South
Oxford
OX4 2RU

Patents ADP number (if you know it)

727 1125 001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- See note (d))

Yes

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form	(none)
Description	8 /
Claim(s)	2 /
Abstract	1 /
Drawing(s)	2 + 2 /

10. If you are also filing any of the following, state how many against each item.

Priority documents	
Translations of priority documents	(none)
Statement of inventorship and right to grant of a patent (Patents Form 7/77)	(none)
Request for preliminary examination and search (Patents Form 9/77)	1 /
Request for substantive examination (Patents Form 10/77)	(none)
Any other documents (please specify)	(none)

11. I/We request the grant of a patent on the basis of this application.

Signature Mols & Clerk Date 13 March 2000
Marks & Clerk

12. Name and daytime telephone number of person to contact in the United Kingdom

Dr. Robert Lind 01865 397900

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

14 MAR 2000

Statement of inventorship and of right to grant of a patent

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

1. Your reference

RL.P51061GB

2. Patent application number
(If you know it)

0006023.6

3. Full name of the or of each applicant

Telefonaktiebolaget LM Ericsson

4. Title of the invention

Cost Control in a Telecommunications System

5. State how the applicant(s) derived the right
from the inventor(s) to be granted a patent

By virtue of employment of the inventors

6. How many, if any, additional Patents Forms
7/77 are attached to this form?
(see note (c))

7.

I/We believe that the person(s) named over the page (and on
any extra copies of this form) is/are the inventor(s) of the invention
which the above patent application relates to.

Signature  Date

Marks & Clerk

13 March 2000

8. Name and daytime telephone number of
person to contact in the United Kingdom

Dr. Robert Lind

01865 397900

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there are more than three inventors, please write the names and addresses of the other inventors on the back of another Patents Form 7/77 and attach it to this form.
- When an application does not declare any priority, or declares priority from an earlier UK application, you must provide enough copies of this form so that the Patent Office can send one to each inventor who is not an applicant.
- Once you have filled in the form you must remember to sign and date it.

Enter the full names, addresses and postcodes of the inventors in the boxes and underline the surnames

Jarmo Savolainen
Vanha Tampereentie 919
21350 Ilmarinen
Finland

7757404001

Patents ADP number (if you know it):

Patents ADP number (if you know it):

Patents ADP number (if you know it):

Reminder

COST CONTROL IN A TELECOMMUNICATIONS SYSTEM

Field of the Invention

The present invention relates to cost control in a telecommunications system and more particularly to cost control in a mobile telecommunications system.

Background to the invention

In today's mobile telecommunications networks, the operator of a mobile network is able to maintain tight control over the calls made and services used by its subscribers when they are at home, i.e. when they are registered with the operator's own network. For example, if a subscriber exceeds his calling credit limit the operator can notify the subscriber of this situation and/or can prevent the subscriber from making further calls until his outstanding account is settled. Similarly, where a subscriber makes use of a top-up account, e.g. using scratch cards to credit his account, an operator can restrict the subscriber's access when the subscriber's credit drops to zero.

Such charging control is possible because the Mobile Switching Centre (MSC) which acts as the "local exchange" for a subscriber sends Call Detail Records (CDRs) at regular intervals to a charging node of the subscriber's home network. However, this is only possible when the serving MSC is an MSC of the home network. In the event that a mobile subscriber is registered with an MSC of a foreign network (i.e. the subscriber is "roaming"), CDRs generated by the MSC are passed to a home network through a clearing house in so-called TAP files (if necessary, multiple CDRs are collated in the foreign network and the collated CDRs are sent to the clearing house in a single TAP file). It can take at least two days or even more before the CDRs are forwarded on to the home network.

A home network cannot therefore monitor, in real time or near real time, the charges being incurred by one of its subscribers when that subscriber is roaming in a foreign network. Rather, charging information is only sent periodically from the foreign

network to the home network (e.g. every few days). There therefore exists a possibility that fraud by a roaming subscriber will go undetected by the subscriber's home network for some time, and that during that time the home network operator will incur considerable losses. Furthermore, even though CDRs can be generated periodically for a subscriber when that subscriber is registered with his home network, the use of exchanges which generate CDRs at fixed regular intervals for all registered subscribers represents a non-optimal solution as the fixed interval may be too long for certain classes of subscribers and too short for others, and can unnecessarily increase the computational load in the serving exchange.

In order to overcome this problem, a protocol referred to as Customised Applications for Mobile network Enhanced Logic (CAMEL) has been standardised by ETSI (further enhancements to CAMEL are in the process of being standardised - 3GPP). CAMEL provides for the transfer of charging related information in near real time between the home network (the "controlling" network) and a foreign network (the "serving" network) in which a subscriber of the home network is roaming. In particular, CAMEL enables a home network to authorise a roaming subscriber for a fixed time period at the end of which the foreign network must seek a new authorisation for the subscriber. It will be appreciated that the main application of CAMEL is in respect of pre-paid subscribers.

In the future, billing for mobile services is likely to be made on the basis of criteria other than simply time and call destination (or origin). For example, with the introduction of packet switched data services such as the GSM phase 2 enhancement known as General Packet Radio Service (GPRS), it may be appropriate to charge subscribers on the basis of data volume sent (or received) and the destination (or source) of the data.

According to the current CAMEL proposal to control GPRS, the serving node (i.e. the Serving GPRS Support Node (SGSN)) for a given subscriber will simultaneously monitor a data connection established by a subscriber *vis-à-vis* call time and sent data volume. The serving node uses time and data volume limits (previously received from the subscriber's home network) to trigger the sending of respective new authorisation

requests to the home network. Time and data volume are treated independently of one another resulting in a large volume of charging related signalling information being sent back and forth between the foreign network and the home network. The more charging criteria are used, the greater will be the volume of charging related signalling information. Signalling traffic represents a significant cost factor for network operators, and the current CAMEL proposal is therefore not optimal.

Summary of the Present Invention.

It is an object of the present invention to overcome or at least mitigate the disadvantages of existing charge monitoring proposals. In particular, it is an object of the present invention to provide a mechanism for monitoring the chargeable activities of a subscriber in such a way as to reduce charging related signalling traffic. These and other objects are achieved at least in part by normalising different monitored charge related conditions at a serving node so that they can be compared against a common charging standard.

According to a first aspect of the present invention there is provided a method of monitoring the chargeable activities of a user in a mobile telecommunications network, the method comprising:

- monitoring one or more conditions on which charging may be based; and
- normalising the or each monitored condition so that the condition(s) can be compared against a standard value and/or used for calculating a charge.

The present invention provides a mechanism whereby different monitored conditions can be directly compared and, if necessary, combined for the purpose of generating a value or values which can be used to trigger charging related events and/or to directly calculate charges.

Examples of different conditions to which the present invention may be applied are the duration of a connection and the volume of data sent by the user. Different conditions may be defined for different call and data transfer destinations.

Preferably, said steps of monitoring one or more conditions and of normalising the or each monitored condition are carried out at the serving node for the user. In a GSM network the node may be a Mobile Switching Centre (MSC). In a GSM phase 2 network, the node may be a Serving GPRS Support Node (SGSN). In a UMTS network, the node may be an evolution of an MSC or SGSN node.

Preferably, the normalising factors are transferred from a charge control function of said network, or of another network to which the user is a subscriber, either upon initiation of a chargeable activity or prior to such initiation, e.g. during registration of the user with the serving node. A standard value which defines a cost limit up to which the user is authorised, and against which a monitored condition or combination of monitored conditions is compared, may also be transferred from said charge control function to said serving node.

Preferably, the normalising factors are transferred from a Service Control Function/Cost Control Function (SCF/CCF) implemented at a charge control node to a Service Switching Function implemented at the serving node.

Preferably, the method of the present invention is employed when the user is a subscriber of a home network and is roaming in a foreign network. In the case of GSM networks (including enhanced GSM networks), the normalising factors may be transferred from the home network to the serving node of the foreign network using the CAMEL protocol, and more particularly using the CAMEL Application Part (CAP).

In one embodiment of the invention, a normalised monitored condition, or a combination of normalised monitored conditions, is compared against a standard value which defines a cost limit up to which the user is authorised. If the condition or combination of conditions reaches the standard value, the serving node may send an authorisation request to a charge controlling node, e.g. in the user's home network.

According to second aspect of the present invention there is provided a node of a mobile telecommunications network which provides in use a serving node for one or more mobile users, the apparatus comprising:

means for monitoring one or more conditions on which charging may be based;
and

means for normalising the or each monitored condition so that the condition(s)
can be compared against a standard value and/or used for calculating a charge.

Brief Description of the Drawings

Figure 1 illustrates schematically a mobile telecommunications system in which a subscriber of a home network is roaming in a foreign network; and

Figure 2 is a flow diagram illustrating the operation of a charge monitoring mechanism in the system of Figure 1.

Detailed Description of Certain Embodiments

There is illustrated in Figure 1 a telecommunications system comprising two interconnected Public Land Mobile Networks (PLMNs). For the purposes of the following illustration, a first of the PLMNs 1 represents the home network of a subscriber using a mobile telephone 2 or wireless data terminal 3, and is referred to as the Home PLMN (HPLMN). The second of the PLMNs 4 is referred to as the Visited PLMN (VPLMN). Only those nodes of the networks 1,4 relevant to the following discussion are illustrated in Figure 1. Both of the networks 1,4 are Global System for Mobile communications (GSM) based networks and support GPRS. Illustrated in the VPLMN 4 are a Mobile Switching Centre (MSC) 5 (which is co-located with a Visitor Location Register (VLR)) and a Serving GPRS Support Node (SGSN) 6 which are responsible for connecting and routing voice and data calls respectively. Both the MSC/VLR 5 and the SGSN 6 are coupled in use to the subscriber equipment 2,3 via Base Station Sub-systems (BSS) 7,8. The networks 1,4 are coupled together via Gateway nodes although these are not illustrated in Figure 1.

Illustrated in the HPLMN 1 is a Home Location Register (HLR) 9. The HLR 9 maintains a record of all of the subscribers of the HPLMN 1, including the International Mobile Subscriber Identity (IMSI) for each subscriber and which is used by a subscriber to register with a network. A Service Control Function (SCF)/Cost Control Function

(CCF) is implemented at a Service Control Point 10 which, together with a HLR 9, forms part of a Home Subscriber System. For each subscriber, the SCF/CCF 10 records details of the tariff to which the subscriber subscribes. For example, a subscriber may subscribe to a "business tariff" which defines the cost of voice calls in terms of caller location, called party destination, duration, and time of day. The cost of data calls may also be defined using these same conditions, and additionally the volume of data sent to and/or received by the subscriber during a data call and the Quality of Service (QoS) involved.

For each separate charge band, a normalising value is defined. For example, assume that the charging rate for transferring 10Kbytes of data over a long distance connection is 1 charging unit. Then a normalising value of 10(Kbytes/charging units) is defined for this band. If the charging rate for transferring 10Kbytes of data over a local connection is 0.1 charging unit, then the normalising value for this band is 100(Kbytes/charging units). Similarly, if the charging rate for a long distance call is 0.25 charging units per minute, then a normalising value of 4(minutes/charging unit) is assigned to this charging band.

Associated with each MSC 5 is a Visitor Location Register (VLR) which maintains a record of subscribers currently registered with the associated MSC 5. The record includes subscribers for whom the MSC 5 is a home MSC, as well as subscribers for whom the MSC 5 is a foreign network. In the event that the subscriber using the mobile telephone 2 roams outside of the coverage area of his HPLMN 1 and into the coverage area of the VPLMN 4, his telephone 2 will seek to register with an MSC 5 of the VPLMN 4 after the MSC 5 has determined that the subscriber is a subscriber of a foreign network and has not already been registered in the associated VLR.

The registration process is initiated by the telephone 2 sending to the serving MSC 5 the subscriber's IMSI (usually stored in a SIM card). In order to authenticate the subscriber, the MSC 5 uses the Mobile Application Part (MAP) protocol to send a MAP UPDATE_LOCATION message to the HLR 9 of the subscriber's HPLMN 1 (the HPLMN 1 is identified by a prefix part of the IMSI). Assuming that the HLR 9 verifies the IMSI contained in the message, the HLR 9 returns a MAP

INSERT_SUBSCRIBER_DATA message to the serving MSC. Registration of the wireless data terminal 3 with the SGSN 6 involves a similar exchange of messages with the HLR 9 of the HPLMN 1. Assuming that the serving node (MSC 5 or SGSN 6) does indeed receive a MAP UPDATE_SUBSCRIBER_DATA message from the HLR 9 of the HPLMN 1, the subscriber is registered with the serving node. (The SGSN 6 also makes use of the VLR which is co-located with the MSC 5, although it is noted that the GPRS network may sometimes possess a separate VLR which may or may not be co-located with the SGSN.)

In the event that a subscriber initiates a connection, e.g. a data call to a subscriber of the same or a different network, a Service Switching Function (SSF) implemented by the SGSN 6 contacts the SCF/CCF 10 of the HPLMN 1 using the CAMEL protocol (which in turn makes use of the CAMEL Application Part (CAP)). A CAP message is sent which contains details of the connection which the subscriber 3 has initiated (e.g. destination(s), QoS(s), etc). On the basis of the received connection information, the SCF/CCF 10 selects the appropriate charge band(s) and hence the appropriate normalising value(s). The selected normalising value(s) is(are) returned to the enquiring SCF/CCF 10 using a CAP message. The SCF/CCF 10 may also include in this message a charging unit authorisation limit for the initiated connection.

Assuming that the SSF receives an authorising CAP message from the SCF/CCF 10, the requested connection is established, and the SSF monitors the various charging conditions associated with the call, including time and transmitted data traffic. For example, the SSF may monitor the duration of the call $C1$ and the volume of data sent (each of the two conditions having a corresponding normalising value $N1$, $N2$). As they are monitored, the conditions are divided by the respective normalising values to establish the consumed charging units. The determined consumed charging units are then added together to determine the total consumed charging units (i.e. $total = C1/N1 + C2/N2$). This total is then compared against the charging unit authorisation limit. When the limit is reached, the SSF may instruct the serving node to suspend the connection, and to seek a further authorisation from the subscriber's home network (by way of a further CAP message).

The charge monitoring mechanism described above is further illustrated in the flow diagram of Figure 2.

In addition to comparing the consumed charging unit total against the charging unit authorisation limit, the SSF may use the total to generate Call Detail Records (CDRs). The CDRs are sent by the serving node to the HPLMN 1 where they may be received by the Service Control Point 10 or by some other node such as the HLR 9. The CDRs may be used by the HPLMN 1 for the purpose of near real time billing or fraud control.

It will be appreciated that various modifications may be made to the above described embodiment without departing from the scope of the present invention. For example, rather than normalising the monitored conditions to generate consumed charging units, the conditions may be normalised against one selected condition. More particularly, if the selected condition is the transmitted data volume (to a given destination at a given QoS), normalising values are chosen to convert the others of the monitored conditions into the equivalent values of that selected condition (e.g. the normalising value for a time related condition would have units of minutes/Mbyte).

In another modification, a revised normalising value (or values) may be sent from the SCF/CCF 10 to the SSF of the serving node during a previously established connection (e.g. following the sending of a CAP message to the SCF/CCF 10 containing revised connection related parameters). The revised normalising values(s) are then used for the remainder of the connection (unless further revised normalising values are subsequently delivered).

In yet another modification, normalising values may be sent from the SCF/CCF 10 to the SSF of the serving node during registration of the subscriber, using the MAP UPDATE_SUBSCRIBER_DATA message. It is then up to the SSF to select the appropriate value(s) when the subscriber initiates a connection. This solution is not however optimal, as it requires all possible normalising values to be transmitted to the SSF, adding to the volume of signalling traffic.

Claims

1. A method of monitoring the chargeable activities of a user in a mobile telecommunications network, the method comprising:
monitoring one or more conditions on which charging may be based; and
normalising the or each monitored condition so that the condition(s) can be compared against a standard value and/or used for calculating a charge.
2. A method according to claim 1, wherein said conditions include time based and data transfer volume based conditions.
3. A method according to claim 1 or 2, wherein said steps of monitoring one or more conditions and of normalising the or each monitored condition are carried out at the serving node for the user.
4. A method according to claim 3, wherein said network is a GSM network and said serving node is a Mobile Switching Centre (MSC) or a Serving GPRS Support Node (SGSN).
5. A method according to any one of the preceding claims, wherein the normalising values are transferred from a charge control function of said network, or of another network to which the user is a subscriber, either upon initiation of a chargeable activity or prior to such initiation.
6. A method according to claim 5, wherein a standard value which defines a cost limit up to which the user is authorised, and against which a monitored condition or combination of monitored conditions is compared, is transferred from said charge control function to said serving node.
7. A method according to anyone of the preceding claims, wherein said user is a subscriber of a home GSM network and is roaming in a foreign GSM network, and the normalising values are transferred from the home network to the serving node of the foreign network using the CAMEL protocol.

8. A method according to any one of the preceding claims, wherein a normalised monitored condition, or a combination of normalised monitored conditions, is compared against a standard value which defines a cost limit up to which the user is authorised, and, if the condition or combination of conditions reaches the standard value, the serving node sends an authorisation request to a charge controlling node.

9. A node of a mobile telecommunications network which provides in use a serving node for one or more mobile users, the apparatus comprising:

- means for monitoring one or more conditions on which charging may be based;

and


- means for normalising the or each monitored condition so that the condition(s) can be compared against a standard value and/or used for calculating a charge.

Abstract

COST CONTROL IN A TELECOMMUNICATIONS SYSTEM

A method of monitoring the chargeable activities of a user in a mobile telecommunications network. The method comprises monitoring one or more conditions on which charging may be based and normalising the or each monitored condition so that the condition(s) can be compared against a standard value and/or used for calculating a charge.

Figure 1

Figure 1




Figure 2